

S2624-P

L2 Managed Gigabit Ethernet Switch with PoE Injector



Product Description:

The S2624-P is a 24G unmanaged POE Switch designed by CSE Technology Company. It is mainly deployed on the IP MAN and intranets, meeting requirements the requirements of carrying various Ethernet services and accessing the Ethernet. It also provide the PoE function for powering of wireless LAN (WAN) access points, IP security cameras, VoIP telephone and other low port density installations.

The S2624-P is a case-shaped device with a chassis of 1U high. It provides 24 10/100/1000Base-TX ports. It provides 8/16/24 PoE Injector.

Features

- Conforms to IEEE802.3, IEEE 802.3u, IEEE 802.3ab, IEEE802.3z, IEEE802.3af, IEEE802.3at
- Provides 24 10/100/1000 Base-TX ports
- Provides 8/16/24 PoE injector and build in AC power
- High back-plane bandwidth 48Gbps
- Up to 8k MAC address table size
- IEEE802.3x Flow control
- Surge protection for power port and data ports
- EMI standards complies with FCC, CE class B

Specifications

Item	Description
Summarize	
Fixed port	24 10/100/1000Base-TX ports.
LED Indicators	PWR, PoE, Link/Act LED.
Input voltage	100V~240V AC, 50/60Hz

Power consumption	150W/270W/390W (130W/250W/370W for PoE).
Operating temperature	0°C~40°C.
Storage temperature	-10°C~70°C.
Relative humidity	20%~85% (non-condensing).
Thermal methods	Built-in Noiseless FAN.
PoE	
PoE port	24 10/100/1000Base-TX ports.
PoE Standard	IEEE802.3af, IEEE802.3at per port 15.4W or 25W.
Pin assignment	V+ (RJ45 Pin 1, 2), V- (RJ45 Pin 3, 6).
Layer 2 Switching	
Switching capacity	48G
MAC address table	8K, Support MAC address table management.

Order Information

S2624-8P	24 ports Gigabit Ethernet Switch with 8 PoE Injector
S2624-16P	24 ports Gigabit Ethernet Switch with 16 PoE Injector
S2624-16P	24 ports Gigabit Ethernet Switch with 24 PoE Injector